

NEOZ

COOEE 1c

CORDLESS TABLE LAMP



DESIGNED & ASSEMBLED
IN AUSTRALIA



5 YEARS
WARRANTY



95+ CRI
LED



ALL PARTS
REPLACEABLE




INTERNATIONAL
DELIVERY




Anodised
Silver
Aluminium




Lacquered
Real Brass



Lacquered
Real Copper



Anodised
New Bronze
Aluminium



Anodised
Satin Black
Aluminium



Handling Accessory
6 Lamp Carrier
(Optional)

NEOZ
Bringing together -
Food, People, Places.
www.neoz.com

Contact
20 Tepko Road Terrey Hills
NSW 2084 Australia
Tel +61 2 9810 5520
Fax +61 2 9555 1054
Email sales@neoz.com.au

Service
All parts are replaceable or
recyclable.
Technical support available at
service@neoz.com.au


NEOZ Warranty
NEOZ warrants the cordless
lamp range for 5 years from
the date of purchase.
For further information, see
www.neoz.com.au/warranty



Coeee 1c - Technical Description

The Coeee 1c rechargeable battery table lamp features a slim durable metal body and dome reflector giving maximum direct downlight without glare. Ideal for table lighting rooms with views through glass as there is minimum reflection. The lamp is fitted with a 1W 95+ CRI LED for superior colour rendering. Digital 3 step dimming.

Designer	Peter Ellis, Tammy Chiew
Year of Design	2013
Lamp Type	Glare Free Downlight
IP Rating	IP52
Dimensions	210mm x 90mm (8¼" x 3½")
Weight	0.30 kg / 0.66 lb
Approvals & Standards	CE, CSA, C-Tick, FCC, RoHS, SASO
EU Energy Regulation	Exempt - LED lamps operate on batteries
Awards	IDA Design Award GOLD Winner 2013



Lamp Control Unit Options

Type	Battery	Cells	Charge Time	Light Source Option	Colour Temperature (Kelvin)	Operating Time (hours)			Brightness (lumens)	CRI*	Bulb Life (Hours)
						High	Med	Low			
UNO	Panasonic Li-ion 3.7V 2900mAh 500+ cycles	1	5.5hrs	1W LED Warm White (Standard)	2600k	13	35	130	68+	95+	50,000+
				1W LED Warm Candle White (Optional)	1800k	13	35	130	58+	93+	50,000+

COLOUR RENDERING INDEX (CRI) The quantitative measure of the ability of a light source to reproduce the colors of various objects faithfully in comparison with an ideal or natural light source. The highest possible CRI is 100.

POWER SOURCE 100 - 240V Switch-Mode Electronic Power Supply
Approved for worldwide usage supplied with appropriate mains electric plug type

Recharging Options




Single Lamp Charger
1 Lamp



Small Recharging Tray
4 Lamps



Large Recharging Tray
12 Lamps



Small Recharging Station
24 Lamps



Medium Recharging Station
36 Lamps



Large Recharging Station
48 Lamps